## 10K CAST STAINLESS STEEL SWING CHECK VALVE FLANGED ENDS

KITZ Fig: 10U0AT

Sizes: 11/2-14inch(40-350mm)

Standards

. End to End: ASME B16.10 CLASS 150 . End Connection: JIS B2220 10K


. Wall Thickness: ASME B16.34 CLASS 150

Test Standard
. KITZ STANDARD

Approvals

Japan Valve Manufacturer's Association 40-350 mm (11/2-14 inch)

approved Dimensions






NAME OF PART	MATERIAL	SPECIFICATION		
BODY	STAINLESS STEEL	A351 Gr. CF8/SCS13A		
COVER	STAINLESS STEEL	A351 Gr. CF8/SCS13A		
DISC	STAINLESS STEEL	A351 Gr. CF8/SCS13A		

## Specifications

10K CAST STAINLESS STEEL SWING CHECK VALVE FLANGED ENDS End to End: ASME B16.10 CLASS 150, End Connection: JIS B2220 10K, Wall Tchickness: ASME B16.34 CLASS 150, Test Standard: KITZ STANDARD, Sizes: 11/2-14inch(40-350mm), Approvals: Japan Valve Manufacturer's Association 40-350 mm (11/2-14 inch), BODYMATERIAL :STAINLESS STEEL, COVERMATERIAL: STAINLESS STEEL, DISCMATERIAL

:STAINLESS STEEL, KITZ Fig : 10U0AT





Pressure-temperature ratings and other performance data published in this catalog have been developed from our design calculation, in-house testing, field reports provided by our customers and/or published official standards or specifications. They are good only to cover typical applications as a general guideline to users of KITZ products introduced in this catalog. For any specific application, users are kindly requested to contact KITZ Corporation for technical advice, or to carry out their own study and evaluation for proving suitability of these products to such an application. Failure to follow this request could result in property damage and/or personal injury, for which we shall not be liable. Read instruction manual carefully before use.





## ●Aシリーズ・HAシリーズ・AJシリーズ(JIS B 2220-2004) 単位MPa

呼I/IE力	10K			20K				
信用温度(て)	SCS13A	5C514A	5C516A	SC\$19A	SCS13A	5C516A	SC\$16A	SCS19A
~120	1.4	1.4	1.4	1.4	3.4	3.4	3.4	3.4
220	12	1.2	1.2	1.2	3.1	3.1	3.1	3.1
300	1.0	1.0	1.0	1.0	2.9	2.9	2.9	2.9
350	-	-		-	2.6	2.6	2.6	2.6
400	-	-	-	-	2.3	2.3	2.3	2.3
420	-	-	-	-	2.0	2.0	2.0	2.0

## ▲注意

- ●ガスケットおよびパッキン材料によって最高使用温電は変わります。上表に示しています材料ごとの最高使用温度をご確認ください。
- ●AJSリーズはジャケットの最高使用温度/圧力は260°C/1.0MPaです。これ 以上でのご使用の場合はお問合せくだい。

Pressure-temperature ratings and other performance data published in this catalog have been developed from our design calculation, in-house testing, field reports provided by our customers and/or published official standards or specifications. They are good only to cover typical applications as a general guideline to users of KITZ products introduced in this catalog. For any specific application, users are kindly requested to contact KITZ Corporation for technical advice, or to carry out their own study and evaluation for proving suitability of these products to such an application. Failure to follow this request could result in property damage and/or personal injury, for which we shall not be liable. Read instruction manual carefully before use.



