## CLASS 150 CAST STAINLESS STEEL BALL VALVE FLANGED ENDS

KITZ Fig: 150UTB Sizes: 1/2-8inch(15-200mm) ANTI-STATIC DEVICE, FULL BORE

Standards

End to End: ASME B16.10 CLASS 150
End Connection: ASME B16.5 CLASS 150
Wall Thickness: ASME B16.34 CLASS 150

Test Standard . API 598 Dimensions

SIZE(inc	h/mm)	L	LI	Н	D1	Kg
1/2	15	108.0	0.0	102.0	130.0	0.00
3/4	20	117.0	0.0	105.0	130.0	0.00
1	25	127.0	0.0	124.0	160.0	0.00
11/2	40	165.0	0.0	113.0	230.0	0.00
2	50	178.0	0.0	120.0	230.0	0.00
21/2	65	190.0	0.0	154.0	400.0	0.00
3	80	203.0	0.0	163.0	400.0	0.00
4	100	229.0	0.0	197.0	460.0	0.00
5	125	356.0	0.0	217.0	460.0	0.00
6	150	394.0	0.0	291.0	1000.0	0.00
8	200	457.0	0.0	350.0	1500.0	0.00



NAME OF PART	MATERIAL	SPECIFICATION	
BODY	STAINLESS STEEL	A351 Gr. CF8/SCS13A	
BODY CAP	STAINLESS STEEL	A351 Gr. CF8/SCS13A	
STEM	STAINLESS STEEL	304SS	
BALL	STAINLESS STEEL	A351 Gr. CF8/SCS13A	



CLASS 150 CAST STAINLESS STEEL BALL VALVE FLANGED ENDS, ANTI-STATIC DEVICE, FULL BORE


End to End: ASME B16.10 CLASS 150, End Connection: ASME B16.5 CLASS 150, Wall Tchickness: ASME B16.34 CLASS 150, Test Standard:

APT 598 Sizes: 1/2-8inch(15-200mm) RODYMATERIAL: STAINLESS

API 598, Sizes : 1/2-8inch(15-200mm), BODYMATERIAL :STAINLESS STEEL, BODY CAPMATERIAL :STAINLESS STEEL, STEMMATERIAL :STAINLESS

STEEL, BALLMATERIAL :STAINLESS STEEL, KITZ Fig : 150UTB






Pressure-temperature ratings and other performance data published in this catalog have been developed from our design calculation, in-house testing, field reports provided by our customers and/or published official standards or specifications. They are good only to cover typical applications as a general guideline to users of KITZ products introduced in this catalog. For any specific application, users are kindly requested to contact KITZ Corporation for technical advice, or to carry out their own study and evaluation for proving suitability of these products to such an application. Failure to follow this request could result in property damage and/or personal injury, for which we shall not be liable. Read instruction manual carefully before use.







Pressure-temperature ratings and other performance data published in this catalog have been developed from our design talculation, in-house testing, field reports provided by our customers and/or published official standards or specifications. They are good only to cover typical applications as a general guideline to users of KITZ products introduced in this catalog. For any specific application, users are kindly requested to contact KITZ Corporation for technical advice, or to carry out their own study and evaluation for proving suitability of these products to such an application. Failure to follow this request could result in property damage and/or personal injury, for which we shall not be liable. Read instruction manual carefully before use.

